

Contact Grill Stations

The modern, stylish Roband Grill Station is available *in six or eight slice size models*. The Roband range sets the benchmark for commercial contact grills. *The versatile unit* rapidly toasts sandwiches, paninis and focaccias, in addition to producing beautifully seared and grilled tender meat, poultry and fish. Featuring elements embedded directly into smooth, high pressure die-cast aluminium plates, the cooking surface produces an even, extremely efficient heat transfer ensuring food is cooked rapidly with even colouration for enhanced appetite appeal.

The Roband Grill Station truly is a must-have for cafes, takeaways, sandwich shops or anywhere that toasting and / or grilling is required.



FEATURES

Cooking

- Six or eight sandwich capacity
- Quality high pressure die-cast aluminium cooking plates with cast-in elements for efficient, directional and effective heat transfer
- Even temperature distribution across each plate and between the top and bottom plates
- Precise thermostat for controlling cooking temperature
- Includes one premium Spatula

Operation

- Ability to switch between top and bottom plate operation or bottom plate only operation
- A counter-balanced top plate and an arched handle makes operating the Grill Station easy
- Easy one-handed loading and unloading of food while the top plate stays open half way
- Food quality & appearance is protected from over compression by the counter balanced and self levelling top plate
- Small counter space requirement due to the elimination of a cumbersome back cable
- Angled control panel for clear visibility of settings

Timers

- 5 minute Manual Timer with warning bell
- Electronic Timer models 8 timer capability - 4 individual timers, each with two pre-set time periods, up to 10 minutes

Cleaning / Maintenance

- High splash guard with top plate always positioned over bottom plate ensuring grease and crumbs fall onto bottom plate
- A front positioned grease collection box collects grease and crumbs and is well-positioned for easy removal and cleaning

Optional accessories:

- Ribbed top plate and / or non-stick coating (For manual timers only)
- Non-stick Roband Grill Sheet & Retainer Clip keeps the plates clean, prevents food sticking and is removable, cleanable & replaceable
- Plate spacers are available separately for delicate items
- Side draining grease channel for high volume waste (model GC6 or GC8 and for manual timers only)



FEATURES & OPTIONS FOR ALL GRILL STATIONS WITH MANUAL OR ELECTRONIC TIMERS

Top plate props open for easy access to food

Food quality and appearance is protected from over compression by the counter balanced and self levelling top plate

Plate options

Top plate always positioned over bottom plate. Smooth or ribbed* top plate options available.

High splash guard

Removable grease tray

Top & bottom or bottom only plate selection

Thermostat control

Electronic Timer with 8 timer capability. 4 individual timers, each with two pre-set time periods (up to 10 minutes).

GSA610SE pictured

No cumbersome back cable, reducing counter space required

Clip & Sheet are included standard as an inclusion for the Electronic timer models: GSA610SE, GSA810SE & GSA815SE.

Smooth plate



Smooth plate Teflon® coated*



Ribbed top plate Teflon® coated*



Sample from ribbed top plate*



(*Only available for Manual timer models.)

Grill Stations cont'd

SPECIFICATIONS

| MODEL | SLICES No. | TIMER | PLATE COATING | TOP PLATE | POWER Watts | CURRENT Amps | DIMENSIONS w x d x h (mm) | BOTTOM PLATE DIMENSIONS w x d (mm) |
|----------|------------|------------|---------------|-----------|-------------|--------------|---------------------------|------------------------------------|
| GSA610S | 6 | MANUAL | NIL | SMOOTH | 2200 | 9.6 | 435 x 490 x 228 | 375 x 275 |
| GSA610R | 6 | MANUAL | NIL | RIBBED | 2200 | 9.6 | 435 x 490 x 228 | 375 x 275 |
| GSA610ST | 6 | MANUAL | NON-STICK | SMOOTH | 2200 | 9.6 | 435 x 490 x 228 | 375 x 275 |
| GSA610RT | 6 | MANUAL | NON-STICK | RIBBED | 2200 | 9.6 | 435 x 490 x 228 | 375 x 275 |
| GSA610SE | 6 | ELECTRONIC | NIL | SMOOTH | 2200 | 9.6 | 435 x 490 x 248 | 375 x 275 |
| GSA810S | 8 | MANUAL | NIL | SMOOTH | 2300 | 10.0 | 560 x 490 x 228 | 500 x 275 |
| GSA810R | 8 | MANUAL | NIL | RIBBED | 2300 | 10.0 | 560 x 490 x 228 | 500 x 275 |
| GSA810ST | 8 | MANUAL | NON-STICK | SMOOTH | 2300 | 10.0 | 560 x 490 x 228 | 500 x 275 |
| GSA810RT | 8 | MANUAL | NON-STICK | RIBBED | 2300 | 10.0 | 560 x 490 x 228 | 500 x 275 |
| GSA810SE | 8 | ELECTRONIC | NIL | SMOOTH | 2300 | 10.0 | 560 x 490 x 248 | 500 x 275 |
| GSA815S | 8 | MANUAL | NIL | SMOOTH | 2990 | 13.0 | 560 x 490 x 228 | 500 x 275 |
| GSA815R | 8 | MANUAL | NIL | RIBBED | 2990 | 13.0 | 560 x 490 x 228 | 500 x 275 |
| GSA815ST | 8 | MANUAL | NON-STICK | SMOOTH | 2990 | 13.0 | 560 x 490 x 228 | 500 x 275 |
| GSA815RT | 8 | MANUAL | NON-STICK | RIBBED | 2990 | 13.0 | 560 x 490 x 228 | 500 x 275 |
| GSA815SE | 8 | ELECTRONIC | NIL | SMOOTH | 2990 | 13.0 | 560 x 490 x 248 | 500 x 275 |

Note: All bottom plates are smooth. Timer does not over-ride or control thermostat.

DIMENSIONS - ALL MODELS

